



















Retail Price List

June 1, 2009









2791 Circleport Drive
 Erlanger, KY 41018
 Phone 859-282-7303

www.tvone.com
 sales@tvone.com
 Fax 859-282-8225

Item Number		Dual Channel Multi-format Video Seamless Switchers	MSRP
C2-7110		9 Input Seamless Switcher: 3xDVI-I (RGB/YpPr/YUV), 3xCV, 3xYC (S-Video) 2 Independent Output Channels, each with DVI-I (RGB/YpPr/YUV), CV, YC Features: Up/Down/Cross Conversion. Key, PIP, Mix, Preview, Edge Blending IP, RS-232. Options: A2-2000 Audio Switching, CC-300 CORIOconsole	6,900.00
C2-7100		Same as above, except with CORIO-STD Front Panel featuring removable button caps allowing labeling to be added with backlight	6,900.00
C2-7210		11 Input Seamless Switcher: 3xDVI-I (RGB/YpPr/YUV), 3xCV, 3xYC, 2xSD/HD-SDI 2 Independent Output Channels, each with DVI-I (RGB/YpPr/YUV), CV, YC, SD/HD-SDI Features: Up/Down/Cross Conversion. Key, PIP, Mix, Preview, Edge Blending IP, RS-232. Options: A2-2000 Audio Switching, CC-300 CORIOconsole	7,900.00
C2-7200		Same as above, except with CORIO-STD Front Panel featuring removable button caps allowing labeling to be added with backlight	7,900.00
C2-7260		17 Input Seamless Switcher: 3xDVI-I (RGB/YpPr/YUV), 3xCV, 3xYC, 8xSD/HD-SDI 2 Independent Output Channels, each with DVI-I (RGB/YpPr/YUV), CV, YC, SD/HD-SDI Features: Up/Down/Cross Conversion. Key, PIP, Mix, Preview, Edge Blending IP, RS-232. Options: A2-2000 Audio Switching, CC-300 CORIOconsole	9,900.00
A2-2000		10-Input Analog Audio Switcher for C2-4000/5000/7000 Series (except C2-7310) 10 Balanced or Unbalanced Inputs. Program & Preview Outputs Full Audio Processing Controls	1,500.00
Item Number		Dual Channel Multi-format Video-Audio Seamless Switcher	MSRP
C2-7310		All C2-7210 Features & Functions, plus integral 48 channel stereo processing and I/O Integral Audio: 32 AES-3id Digital Audio In and 16 AES-3id Digital Audio Out SD/HD-SDI Embedding & Extracting and assignable to any video input or output Options: A2-7312, A2-7302, A2-7342, A2-7322 Audio Format Converters, CC-300	10,900.00
A2-7312		AES3-id Breakout Panel (1 or 2 units may be connected to C2-7310) Converts AES3-id I/O from C2-7310 to 16x BNC Connectors 8x AES-3id In and 8x AES-3id Out Works with C2-7310 or standalone with any other A2-7000 series unit	600.00
A2-7302		Digital Audio Converter Box (1 or 2 units may be connected to C2-7310) Converts AES-3id I/O from C2-7310 to AES3 on XLR Connectors 8x AES Stereo Channels In and 8x AES Stereo Channels Out Works with C2-7310 or standalone with any other A2-7000 series unit	1,600.00
A2-7342		Analog Audio Converter Box (1 or 2 units may be connected to C2-7310) Converts AES-3id I/O from C2-7310 to Analog Stereo on XLR Connectors 4x Analog Stereo Channels In and 4x Analog Channels Out Works with C2-7310 or standalone with any other A2-7000 series unit	1,700.00
A2-7322		Analog Audio Converter Box (1 or 2 units may be connected to C2-7310) Converts AES-3id I/O from C2-7310 to Analog Stereo on Terminal Blocks 8x Analog Stereo Channels In and 8x Analog Channels Out (Balanced or Unbalanced) Works with C2-7310 or standalone with any other A2-7000 series unit	2,500.00
Item Number		Universal Input Analog Video Seamless Switchers	MSRP
C2-3350		Seamless Switcher with Universal Video I/O, Unrestricted PIP, Key, Mix, Edge Blending 8 Inputs and 2 Output. Full Screen Preview via HD-15. NTSC, PAL, SECAM 8x Universal Inputs - RGB, YpPr, YUV, CV, SV. All HDTV. RGB up to 2048x2048. 1x Universal Analog Output and 1x Universal DVI-I Output	3,500.00
C2-3360		Same as C2-3350, plus Integral Stereo Audio Switching and Processing	4,500.00
Item Number		CORIOview Multi-Window Processors	MSRP
C2-6104		CORIOview 4-Window DVI-I Multiviewer Max Resolutions - DVI: 1920x1200, 1080p, Analog RGB: 2048x2048, 1080p Inputs: 4x DVI-I plus 1x DVI-I for Background and Cascading. Output: 1x DVI-I Options: Tally Module	4,900.00
CX-750-4		4-Window DVI-I Multiviewer System based on 3x 1T-C2-750 units Max Resolutions - DVI: 1920x1200, 1080p, Analog RGB: 2048x2048, 1080p Inputs: 4x DVI-I. Output: 1x DVI-I Consists of 3x 1T-C2-750, 2x RM-220, P2-105, Interconnect Cables	3,500.00
C2-6204		CORIOview 4-Window HD-SDI Multiviewer. Max HD-SDI 1080p/60 (3G) Inputs: 4x SD/HD-SDI plus 1x DVI-I for Background and Cascading Outputs: 1x SD/HD-SDI, plus 1x DVI-I Options: Tally Module	TBA

Item Number		Video Scaler/Switchers	MSRP
C2-1200		6 Inputs, Up Conversion, Stereo Audio Switching 6 Inputs: 1xRGB/YpPr/YUV via HD15, 1xYUV/YpPr via 3-BNC, 2xCV, 2xYC, 4xStereo 3 Outputs: 2xRGB/YpPr/YUV via HD15 and 5-BNC, 1x UTP, 1xStereo IR, RS-232. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300 CORIO	1,295.00
C2-1250		Same as C2-1200, plus Cross Conversion, Genlock, PIP, Key, Mix and Edge Blending	1,795.00
C2-260		Internal PC Card with Up/Cross Conversion, Genlock, PIP, Key, Mix, Edge Blending Same performance as C2-1250. Control by RS-232 PC Card for PCI/ISA Slot Options: IRC-5 IR Remote Control	995.00
C2-2200A		7 Inputs, Up/Cross Conversion, Stereo Audio Switching 7 Inputs: 1xDVI-D, 1xRGB/YpPr/YUV via HD15, 1xYUV/YpPr via 3-BNC, 2xCV, 2xYC, 4xStereo 3 Outputs: 1xDVI-I (Digital & Analog), 1xRGB/YpPr/YUV via HD15, 1xStereo IR, RS-232, IP. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300	1,995.00
C2-2205A		Same as C2-2200, plus SD-HD/SDI Input	2,495.00
C2-2250A		7 Inputs, Up/Cross Conversion, Genlock, PIP, Key, Mix, Stereo Switching, Edge Blending 7 Inputs: 1xDVI-D, 1xRGB/YpPr/YUV via HD15, 1xYUV/YpPr via 3-BNC, 2xCV, 2xYC, 4xStereo 3 Outputs: 1xDVI-I (Digital & Analog), 1xRGB/YpPr/YUV via HD15, 1xStereo IR, RS-232, IP. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300	2,495.00
C2-2255A		Same as C2-2250A, plus SD-HD/SDI Input	2,995.00
Item Number		Universal Video Scaler/Switchers	MSRP
C2-1350		RGB/YpPr Up/Down/Cross Converter, PIP, Key, Mix, Stereo Switching, Edge Blending 4 Inputs: 1xRGB/YpPr/YUV via HD15, 1xYUV/YpPr via 3-BNC, 1xCV, 1xYC, 4xStereo 4 Output: 2xRGB/YpPr/YUV via HD15 and 5-BNC, 1xCV, 1xYC, 1x Stereo IR, RS-232. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300	2,295.00
C2-2350A		DVI/RGB/YpPr Up/Down/Cross Converter, PIP, Key, Mix, Stereo Switch, Edge Blending 5 Inputs: 1xDVI-D, 1xRGB/YpPr/YUV via HD15, 1xYUV/YpPr via 3-BNC, 1xCV, 1xYC, 4xStereo 5 Outputs: 1xDVI-I (Digital&Analog), 1xRGB/YpPr/YUV via HD15, 1xCV, 1xYC, 1xStereo IR, RS-232, IP. Options: S2 Input Expansion, IRC-5, RM-220 Rackmount, CC-300	2,995.00
C2-2355A		Same as C2-2350A, plus SD-HD/SDI Input and Output	3,495.00
Item Number		Down Converters (Scan Converters)	MSRP
C2-1100		RGB/YpPr Down Converter 2 Inputs: 2xRGB/YpPr/YUV via HD-15 w/Loop-thru and 5-BNC 3 Outputs: 1xYUV/YpPr via 3-BNC, 1xCV, 1xYC IR, RS-232. Options: S2 Input Expansion, IRC-5 Remote, RM-220 Rackmount	1,395.00
C2-1150		RGB/YpPr Down Converter, Genlock, PIP, Key, Mix 4 Inputs: 2xRGB/YpPr/YUV via HD-15 w/Loop-thru and 5-BNC, 1xCV, 1xYC 3 Outputs: 1xYUV/YpPr via 3-BNC, 1xCV, 1xYC IR, RS-232. Options: S2 Input Expansion, IRC-5 Remote, RM-220 Rackmount	1,795.00
C2-160		Internal RGB/YpPr Down Converter with Genlock, PIP, Key, Mix 3 Inputs: 1xRGB/YpPr/YUV via HD-15, plus Background Inputs: 1xCV, 1xYC 2 Outputs: 1xCV, 1xYC RS-232 or IR. Options: IRC-5 IR Remote	995.00
C2-2100A		DVI/RGB/YpPr Down Converter with Genlock 2 Inputs: 1x DVI-D, 1xRGB/YpPr/YUV via HD-15 w/Loop-thru. Genlock Input: 1xCV 3 Outputs: 1xYUV/YpPr via 3-BNC, 1xCV, 1xYC IR, RS-232, IP. Options: S2 Input Expansion, IRC-5 IR Remote, RM-220 Rackmount	1,995.00
C2-2105A		Same as C2-2100A, plus SD/HD-SDI Output	2,495.00
C2-2150A		DVI/RGB/YpPr Down Converter with Genlock, PIP, Key, Mix 4 Inputs: 1x DVI-D, 1xRGB/YpPr/YUV via HD-15 w/Loop-thru, 1xCV, 1xYC 3 Outputs: 1xYUV/YpPr via 3-BNC, 1xCV, 1xYC IR, RS-232, IP. Options: S2 Input Expansion, IRC-5 IR Remote, RM-220 Rackmount	2,295.00
C2-2155A		Same as C2-2150A, plus SD/HD-SDI Output	2,795.00












Item Number	Input Expansion Modules/Standalone Switchers	MSRP
S2-108HD 	8x2 HD-SDI (or SD-SDI) Switcher with C2 Interface, RS-232 and IR 8-Inputs x 2-Output HD-SDI (or SD-SDI) via BNC w/Embedded Stereo Option: RM-220 Rackmount	1,695.00
S2-106AD 	6x2 Stereo Audio Switcher with Full Processing, Variable Delay 6-Inputs x 2-Outputs High/Low Impedance Stereo via Terminal Strip, RCA, 3.5mm Mini IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	995.00
S2-105DVIA 	5x1 DVI-D and Stereo Audio Switcher. Max Resolution 1080p, 1920x1200 5-Inputs x 1-Output DVI-D and High Impedance Stereo Audio via 3.5mm Mini-Stereo IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	995.00
S2-109PC 	9x1 RGB/YPbPr Switcher. Bandwidth 500MHz 9-Inputs x 1-Output RGB/YPbPr via HD-15 IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	795.00
S2-105PC 	5x1 RGB/YPbPr Switcher. Bandwidth 500MHz 5-Inputs x 1-Output RGB/YPbPr via HD-15	595.00
S2-105PCA 	5x1 RGB/YPbPr and Stereo Audio Switcher. Bandwidth 500MHz 5-Inputs x 1-Output RGB/YPbPr via HD-15 and High Impedance Stereo via 3.5mm Mini IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	795.00
S2-110CV 	10x2 Composite Video Switcher 10-Inputs x 2-Outputs Composite Video via BNC IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	595.00
S2-105CV 	5x2 Composite Video Switcher 5-Inputs x 2-Outputs Composite Video via BNC with Auto Terminating Loop-thru IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	295.00
S2-105CVA 	5x2 Composite Video and Stereo Audio Switcher 5-Inputs x 2-Outputs CV via BNC with Loop-thru and High/Low Impedance Stereo IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	395.00
S2-110YC 	10x2 YC (S-Video) Switcher 10-Inputs x 2-Output YC via 4-Pin Mini-DIN IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	495.00
S2-105YC 	5x2 YC (S-Video) Switcher 5-Inputs x 2-Outputs YC via 4-Pin Mini-DIN with Auto Terminating Loop-thru IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	295.00
S2-105YCA 	5x2 YC (S-Video) and Stereo Audio Switcher 5-Inputs x 2-Outputs YC via 4-Pin Mini-DIN with Loop-thru and High/Low Impedance Stereo IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	395.00
Item Number	Accessories for C2 & S2 Series	MSRP
S2-101AA 	10-Watt Stereo Audio Power Amplifier, C2 Interface, RS-232 and IR 3-inputs via RCA, 3.5mm Mini-Stereo, Terminal Strip. 1-Output via Speaker Clips IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	395.00
P2-105 	Multi Power Supply for up to 5x S2 or C2 units requiring external power Input: 100-240VAC, 50-60Hz. Output 5x 12V@1A. Option: RM-220 Rackmount Note: This is an alternative to the individual power adapters included with all products	195.00
Item Number	Control Console for CORIO2 Products	MSRP
CC-300 	CORIOconsole hardware control panel for all CORIO2 products Controls multiple CORIO2 units Interface via IP or RS-232	2,950.00
Item Number	Optional Accessories	MSRP
C2M-TALLY	Tally Module for C2-6104 and C2-6204 Multifiewers	300.00
RM-220	Single/Dual Rackmount Frame for C2-1000/2000 and S2 Series Products	60.00
RM-230	Single/Dual Rackmount Frame for C2-1000/2000, S2 and 1T-C2 Products	90.00
RM-110	Rear rack support rails for C2-3000, 4000, 5000, 7000 Series	90.00
IRC-5	Infrared Remote Control for C2-1000, C2-2000, S2 Series and 1T-C2 Series Products	25.00



2791 Circleport Drive
 Erlanger, KY 41018
 Phone 859-282-7303

www.tvone.com
 sales@tvone.com
 Fax 859-282-8225

Item Number	Optional RGB & Component Video Cables & Adapters	MSRP
CH1608-6	VGA Cable - 6' (2m) - HD-15 Male on both ends with one Ferrite	17.00
CH1669-6	VGA Cable - 6' (2m) - HD-15 Male + 3.5mm Male Stereo on both ends	29.00
ZB1725G-6	Multi-BNC Cable - 6' (2m) - 5-BNC Male on both ends	50.00
ZB1809G-6	Component Video Cable - 6' (2m) 3-BNC Male on both ends	29.00
ZR1793G-6	Component Video Cable - 6' (2m) 3-RCA Male on both ends	27.00
ZHB1719G-6	Adapter Cable - 6' (2m) - HD-15 Male to 5-BNC Male	36.00
ZHR1720G-6	Adapter Cable - 6' (2m) - HD-15 Male to 3-RCA Male	22.00
CHB1609-2	Adapter Cable - 2' (0.7m) - HD-15 Male to 3-BNC Female	22.00
Item Number	Optional DVI & HDMI Cables & Adapters	MSRP
ZD1813-6	DVI-D Cable - 6' (2m) - DVI-D Male on both ends with Ferrite	20.00
ZM1875-6	HDMI Cable - 6' (2m) - HDMI Male on both ends	20.00
ZDB2038	Adapter Cable - 1.5' (0.5m) - DVI Male to 5-BNC Female	20.00
ZDH2040	Adapter - DVI Male to HD-15 Female	4.00
CMD1939	Adapter - HDMI Female to DVI Male	8.00
CMD1940	Adapter - HDMI Male to DVI Female	8.00
Item Number	Optional Video Cables	MSRP
ZB1650-6	Composite Video Cable - 6' (2m) - BNC on both ends	11.00
ZR1648G-6	Composite Video Cable - 6' (2m) - RCA on both ends	11.00
ZS1651G-6	S-Video Cable - 6' (2m) - 4-Pin Mini-DIN on both ends	11.00
ZSB1795-1	S-Video Adapter Cable - 0.8" (0.2m) - 4-Pin Mini-DIN Female to 2-BNC Male	9.00
ZSB1661-1	S-Video Adapter Cable - 0.8" (0.2m) - 4-Pin Mini-DIN Male to 2-BNC Female	9.00
ZSH-3000-1	S-Video to HD-15 Adapter for C2-3000 Series	9.00
ZCH-3000-1	Composite Video BNC to HD-15 Adapter for C2-3000 Series	9.00
Item Number	Optional Audio Cables & Adapters	MSRP
ZA1654-6	Audio Cable - 6' (2m) - 3.5mm Mini-Stereo Male on both ends	5.00
ZA1653G-6	Audio Cable - 6' (2m) - 2-RCA Male on both ends	14.00
ZA7392-2	A2-7300 Audio Interconnect Cable - 6' (2m) - HD-44 Male on both ends	25.00
Item Number	Optional RS-232 Cables	MSRP
CRS-4090-6	6' (2m) DB9 Female on both ends - Null Modem - for C2-4000/5000/7000 Series	9.00
CRS-3090-6	6' (2m) DB9 Male to DB9 Female for S2, 1T-C2, C2-1000/2000 Series	9.00
Item Number	HDTV LCD Monitors	MSRP
LM-1750HD 	17" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, HDMI, PC, YC, YUV/YpPr via 3-BNC, CV PC resolutions up to 1400x900. HD to 1080p Front Panel Tally Indicators with external input. RS-232. NTSC-PAL Auto-detection	3,950.00
LM-702HD 	Dual 7" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YpPr via 3-BNC CV via BNC PC resolutions up to 1024x768. HD to 1080p Front Panel Tally Indicators with external input. NTSC-PAL Auto-detection	3,950.00
Item Number	SDTV LCD Monitors	MSRP
LM-1911R 	19" LCD Monitor in a Rackmount Frame Inputs: 2xCV via BNC Loop-thru, 1xYC, 3xStereo Audio and 1xPC up to XGA via HD-15 NTSC-PAL Auto-detection	1,895.00
LM-1511R 	15" LCD Monitor in a Rackmount Frame Inputs: 2xCV via BNC Loop-thru, 1xYC, 3xStereo Audio and 1xPC up to XGA via HD-15 NTSC-PAL Auto-detection	1,495.00
LM-1042R 	Dual 10.4" LCD Video/PC Monitors in a Rackmount Frame Inputs: 1xCV via BNC and 1xPC up to SVGA via HD-15 for each Monitor Optional Input Expansion Modules for Analog HDTV or DVI Inputs. NTSC-PAL Auto-detect	2,695.00
LM-563R 	Triple 5.6" LCD Video Monitors in a Rackmount Frame Inputs: 1xCV via BNC and 1xYC for each Monitor NTSC-PAL Auto-detection	1,995.00
LM-404R 	Quad 4.0" LCD Video Monitors in a Rackmount Frame Inputs: 1xCV via BNC and 1xYC for each Monitor NTSC-PAL Auto-detection	1,695.00
LM-701M 	7" LCD Monitor in a Metal Case with Sunshade Inputs: 2xCV via RCA and Stereo Audio NTSC-PAL Auto-detection	595.00
LM-401M 	4" LCD Monitor in a Metal Case Inputs: 2xCV via RCA and Stereo Audio NTSC-PAL Auto-detection	345.00
















tvoneTASK™
 PRODUCT LINE

Item Number	tvoneTASK DVI-HDMI Video Scalers	MSRP
1T-C2-750 	Dual PIP DVI-I Scaler with Key, Mix & Seamless Switching. Max DVI 1920x1200, 1080p Input: 2x DVI-I. Output: 1x DVI-I. Max Analog RGB Res 2048x2049, 1080p HDCP Compliant, HDMI Compatible. Two integral Still Image Stores IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit 	995.00
1T-C2-760  NEW	DVI-I Scaler with Key, Mix, PIP & Seamless Switching. Max DVI 2880x900, 1080p Input: 1x DVI-I. Output: 1x DVI-I. Max Analog RGB Res 2048x2049, 1080p HDCP Compliant, HDMI Compatible. Integral Still Image Store. Edge Blending IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit 	1,495.00
1T-VS-624 	Cross Converter - Analog PC/HD to HDMI. Max Res 1920x1200, 1080p Input: RGB, Analog Stereo, Toslink Digital Audio. Max Res 1920x1200, 1080p Output: HDMI (DVI Compatible), Analog Stereo, Toslink Digital Audio	395.00
1T-VS-626 	Cross Converter - HDMI to HDMI with Audio Delay. Max Res 1920x1200, 1080p Input/Output: HDMI (DVI Compatible), SPDIF Audio via Toslink Adjustable Delay for Lip Sync Correction	349.00
1T-VS-558 	Cross Converter - PC/HD/DVI to PC/HD/DVI. Max Res 1920x1200, 1080p Input: DVI via DVI-I and RGB/YPbPr via HD-15. Output: DVI via DVI-I and RGB via HD-15 IR, RS-232. Optional RM-220 Rackmount	595.00
1T-PCDVI-PCDVI 	Cross Converter - PC/HD/DVI to PC/HD/DVI. Max Res 1920x1200, 1080p Input: DVI via DVI-I and RGB/YPbPr via HD-15. Output: DVI via DVI-I and RGB via HD-15 IR Remote	595.00
1T-AVPC-HDMI 	Cross Converter - PC/HD/Stereo to HDMI. Max Res 1920x1200, 1080p Input: 1xYPbPr/YUV/Stereo via 5xRCA, 1xRGB/Stereo via HD-15 and 3.5mm Mini, 1xHDMI plus additional Stereo via 3.5mm Mini. Output: HDMI IR Remote	595.00
1T-VGA-DVI 	Cross Converter - PC/HD to DVI. Max Res 1280x1024, 1080i Input: RGB/YPbPr via HD-15. Output: DVI-I	399.00
1T-DVI-VGA 	Cross Converter - DVI to PC/HD. Max Res 1280x1024, 1080i Input: DVI. Output: RGB/YPbPr via HD-15	399.00
1T-VS-658 	Cross/Up Converter - Video/PC/HD/Stereo to HDMI. Max Res 1920x1200, 1080p Input: 1xYUV/YPbPr, 1xCV, 1xYC, 1x RGB/YPbPr, 4xStereo, 1xSPDIF Coaxial Audio Output: 1xHDMI with Embedded Audio, 1x Separate SPDIF Coaxial Audio IR, RS-232. Optional RM-220 Rackmount	595.00
1T-VS-622 	Up Converter - Video/Stereo to HDMI. Max Res 1920x1200, 1080p Input: CV, SV, Analog Stereo, Toslink Digital Audio Output: HDMI (DVI Compatible), Analog Stereo, Toslink Digital Audio	395.00
1T-V1280DVI 	Up Converter - Video to DVI. Max Res 1280x1024, 1080i Input: CV, YC, YUV. Output: DVI-I	299.00
Item Number	tvoneTASK Analog Video Scalers	MSRP
1T-C2-250 	Up Converter - CV/YC to Analog PC/HD, plus Key & Mix. Max Res 1080p, 2048x2048 Input: CV, YC, RGB/YPbPr (Bypass). Output: RGB/YPbPr via HD-15 IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit 	895.00
1T-V1280HD 	Up Converter - CV/SV/YUV to Analog PC/HD - Max Res 1920x1200, 1080p Input: CV, YC, YUV. Output: RGB/YPbPr via HD-15 Limited PC Resolutions. 1080i is doubled 540p	299.00
1T-C2-400 	Cross Converter - Analog PC/HD to PC/HD. Max Res 2048x2048, 1080p Input/Output: RGB/YPbPr via HD-15 IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit 	795.00
1T-VS-434 	Cross Converter - Analog PC/HD to PC/HD. Max Res 1920x1200, 1080p Input/Output: RGB/YPbPr via HD-15	349.00



Item Number	tvoneTASK Analog Down Converters (Scan Converters)	MSRP
1T-C2-100 	RGB/YpPr to Video Down Converter with CORIO2 Technology Input: RGB/YpPr via HD-15. Max Resolution 1080p, 2048x2048 Output: 2xCV, 2xYC IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	795.00
1T-C2-150 	RGB/YpPr to Video Down Converter with CORIO2 Technology, plus Key, Mix Input: RGB/YpPr via HD-15. Max Resolution 1080p, 2048x2048 Background Input: CV, YC. Output: CV, YC IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	995.00
Item Number	tvoneTASK Format Converters without Scaling	MSRP
1T-C2-511 	HD-SDI to DVI-I Converter (No Scaling). Max Resolution 1080i Input: SD/HD SDI via BNC with Equalized & Reclocked Looping Output Output: DVI-I, Analog RGB/YpPr/YUV, AES3-id Digital & High Impedance Stereo Options: IRC-5 Remote Control, RM-230 Rackmount Kit	1,195.00
1T-C2-520 	DVI-I to HD-SDI Converter (No Scaling). Max Resolution 1080i Input: DVI-I, YpPr/YUV via 3-BNC Output: SD/HD SDI via BNC Options: IRC-5 Remote Control, RM-230 Rackmount Kit	995.00
1T-FC-326 	HDMI to YpPr/YUV Component + Audio Converter (No Scaling). Max Res 1080p Inputs: 2x HDMI (Selectable). HDCP Compliant Output: YpPr/YUV via 3-RCA, SPDIF Coaxial Audio via RCA & Stereo via 3.5mm Mini Options: RM-230 Rackmount Kit	289.00
1T-YpPr-HDMI 	YpPr/YUV Component + Toslink Audio to HDMI Converter (No Scaling) Maximum I/O Resolution: 1080p Input: YpPr/YUV via 3-RCA and Optical SPDIF Audio via Toslink. Output: HDMI	249.00
1T-DVI-HDMI 	DVI + SPDIF Coaxial Audio to HDMI Converter (No Scaling) Maximum I/O Resolution: 1600x1200, 1080p Input: DVI and SPDIF Coaxial Audio via RCA. Output: HDMI. HDCP Compliant HDCP Compliant	249.00
1T-HDMI-DVI 	HDMI to DVI + SPDIF Coaxial Audio Converter (No Scaling) Maximum I/O Resolution: 1600x1200, 1080p Input: HDMI. Output: DVI and SPDIF Coaxial Audio via RCA. HDCP Compliant	249.00
1T-FC-524 	RGBHV/YpPr/YUV Component to DVI Converter (No Scaling) Maximum I/O Resolution: 1920x1200, 1080p Input: HD-15. Output: DVI	249.00
1T-FC-425 	DVI to RGBHV/YpPr/YUV Component Converter (No Scaling) Maximum I/O Resolution: 1920x1200, 1080p Input DVI. Output: HD-15	249.00
Item Number	tvoneTASK Standards Converters & TBC's	MSRP
1T-PAL-NTSC-GL 	Standards Converter with Genlock - Ultra Compact Multi-standard NTSC-PAL-SECAM. 8-bit Conversion Input/Output: CV, YC	795.00
1T-TBC-GL 	Time Base Corrector with Genlock - Ultra Compact Multi-standard NTSC-PAL-SECAM, Integral Processing Amplifier. 8-bit Conversion Inputs/Outputs: CV, YC	595.00
1T-TBC 	Time Base Corrector - Ultra Compact Multi-standard NTSC-PAL-SECAM, Integral Processing Amplifier. 8-bit Conversion Inputs/Outputs: CV, YC	495.00
Item Number	tvoneTASK Digital Routing Switchers	MSRP
1T-MX-6344 	4x4 HDMI v1.3 Matrix Routing Switcher - Max Res UXGA, 1080p Max Resolution: UXGA, 1080p. Max Distance: 20 Meters at 1080p I/O Connectors: HDMI. DVI Compatible IR, RS-232. IR Extender & Rackmount Ears included	1,295.00
1T-SX-632 	2x1 HDMI v1.3 Switcher. Maximum Resolution 1080p, 1920x1080 Signal Enhancement and Equalization. Maximum Distance 20 Meters (60 ft) RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	145.00
1T-SX-634 	4x1 HDMI v1.3 Switcher. Maximum Resolution 1080p, 1920x1080 Signal Enhancement and Equalization. Maximum Distance 20 Meters (60 ft) RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	195.00
















Item Number		tvoneTASK Digital Routing Switchers Continued	MSRP
	1T-DVI-721	2x1 DVI Switcher. HDCP Compliant. Max Resolution 1080p, 1920x1200 I/O Connectors: DVI-I. IR Remote. Max Distance 12 Meters (40 ft) Optional RM-320 Rackmount Kit. Optional 1T-IR-100 IR Extender	249.00
	1T-SX-524	4x1 DVI Switcher. HDCP Compliant. Max Resolution 1080p, 1920x1200 I/O Connectors: DVI-I. IR Remote. Max Distance 12 Meters (40 ft) Optional RM-320 Rackmount Kit. Optional 1T-IR-100 IR Extender	349.00
Item Number		tvoneTASK Analog Routing Switchers	MSRP
	1T-MX-3344	4x4 YPbPr/YUV Component Video & Stereo Matrix Routing Switcher - Max Res 1080p Video Input/Output: 4xYPbPr/YUV via 3-RCA Audio Input/Output: 4xStereo Audio via 2-RCA IR, RS-232. Rackmount Ears included	595.00
	MX-3141HDA	4x1 YPbPr Component Video & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xYPbPr via 3-RCA and 4xStereo Audio via 2-RCA and 4xCoaxial Audio via RCA Output: 1xYPbPr via 3-RCA and 1xStereo Audio via 2-RCA and 1xSPDIF Coaxial via RCA IR, RS-232. Rackmount Ears included	295.00
	MX-3141PCA	4x1 RGB/YPbPr Component Video & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xRGB/YPbPr via HD-15 & 4xStereo Audio via 3.5mm Mini Stereo Output: 1xRGB/(No Suggestions) via HD-15 and 4xStereo Audio via 3.5mm Mini Stereo IR, RS-232. Rackmount Ears included	295.00
	MX-3141CSVA	4x1 Composite/YC (S-Video) & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xComposite via RCA, 4xYC via 4-Pin, 4xStereo via 2-RCA Output: 1xComposite via RCA, 1xYC via 4-Pin, 1xStereo via 2-RCA, 1xCoaxial via RCA IR, RS-232. Rackmount Ears included	295.00
	MX-2522	2x2 RGBHV Matrix Routing Switcher - Max Resolution 2100x1600 I/O Connectors: HD-15 Optional RM-310 Rackmount Kit	195.00
	1T-SW8x1SV	8x1 YC (S-Video) Switcher I/O Connectors: 4-Pin Mini-DIN IR Remote Control	265.00
	1T-SW8x1CVB	8x1 Composite Video Switcher via BNC Connectors I/O Connectors: BNC IR Remote Control	265.00
	1T-SW4x1ARL	4x1 Stereo Audio Switcher I/O Connectors: RCA (R/L) IR Remote Control	225.00
Item Number		tvoneTASK Analog Signal Distribution Amplifiers	MSRP
	1T-VGA-412	1x2 RGB/YPbPr DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 Optional RM-320 Rackmount	95.00
	1T-VGA-414	1x4 RGB/YPbPr DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 Optional RM-320 Rackmount	165.00
	1T-DA-462	1x2 Ultra Compact RGB/YPbPr + Stereo Audio DA. Bandwidth 450MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 and 3.5mm Mini-Stereo Power via USB Cable or External Power Supply (both provided)	110.00
	1T-DA-472	1x2 RGB/YPbPr + Stereo Audio DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 and 3.5mm Mini-Stereo Optional RM-320 Rackmount	135.00
	1T-DA-474	1x4 RGB/YPbPr + Stereo Audio DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 and 3.5mm Mini-Stereo Optional RM-320 Rackmount	195.00



2791 Circleport Drive
 Erlanger, KY 41018
 Phone 859-282-7303









www.tvone.com
 sales@tvone.com
 Fax 859-282-8225

Item Number	tvoneTASK Analog Signal Distribution Amplifiers Continued	MSRP
1T-DA8SV 	1x8 YC (S-Video) DA. Bandwidth 100MHz I/O Connectors: 4-Pin Mini-DIN	165.00
1T-DA8CVR 	1x8 Composite Video DA. Bandwidth 100MHz I/O Connectors: RCA	165.00
1T-DA8CVB 	1x8 Composite Video DA. Bandwidth 100MHz I/O Connectors: BNC	165.00
Item Number	tvoneTASK Digital Signal Distribution Amplifiers	MSRP
1T-DA-631 	HDMI Extender - Equalizer with DDC Correction Maximum Resolution 1080p, 1920x1080 Maximum Distances: Source to Unit - 40 Meters, Unit to Display - 5 Meters	99.00
1T-DA-652 	1x2 HDMI v1.3 DA. Max Res 1080p, 1920x1080 Maximum Distance 30 Meters (100 ft) Optional RM-220 Rackmount Kit	245.00
1T-DA-654 	1x4 HDMI v1.3 DA. Max Res 1080p, 1920x1080 Maximum Distance 30 Meters (100 ft) Optional RM-220 Rackmount Kit	395.00
1T-DA-664 	Same as 1T-DA-654, plus separate Analog Stereo Audio and SPDIF Audio Analog Stereo via 3.5mm Mini-Stereo Connectors SPDIF via RCA Connectors	435.00
1T-DA-658 	1x8 HDMI v1.3 DA. Max Res 1080p, 1920x1080 Maximum Distance 30 Meters (100 ft) Rackmount Ears included	695.00
1T-DVI-RH 	DVI-D Repeater. HDCP Compliant. Max Res 1080p,1600x1200 I/O Connectors: DVI-I. Maximum Distance 12 Meters (40 Ft)	149.00
1T-DA-552 	1x2 DVI-D DA. HDMI v1.3 Compatible. HDCP Compliant. Max Res 1080p, 1920x1200 I/O Connectors: DVI-I. Maximum Distance 20 Meters (60 Ft) Optional RM-220 Rackmount Kit	325.00
1T-DA-554 	1x4 DVI-D DA. HDMI v1.3 Compatible. HDCP Compliant. Max Res 1080p, 1920x1200 I/O Connectors: DVI-I. Maximum Distance 20 Meters (60 Ft) Optional RM-220 Rackmount Kit	415.00
1T-DA-564 	Same as 1T-DA-554, plus separate Analog Stereo Audio and SPDIF Audio Analog Stereo via 3.5mm Mini-Stereo Connectors SPDIF via RCA Connectors	455.00
1T-DA-124 	Dual 1x4 Audio Distribution Amplifier 1x4 Analog Stereo DA via 3.5mm Mini-Stereo Connectors 1x4 SPDIF Audio DA via RCA Connectors	135.00
Item Number	Optional Rackmount Kits and IR Extender	MSRP
RM-220	Single/Dual Rackmount Frame for 1T-VS-558/658	60.00
RM-230	Single/Dual Rackmount Frame for 1T-C2-100/200/400/500 Series & 1T-FC-326	90.00
RM-310S	Single Rackmount Kit for MX-2522	40.00
RM-310D	Dual Rackmount Kit for MX-2522	40.00
RM-320S	Single Rackmount Kit for 1T Units: DVI-721, SX-524, VGA-412/414, DA-472/474	40.00
RM-320D	Dual Rackmount Kit for 1T Units: DVI-721, SX-524, VGA-412/414, DA-472/474	40.00
IRC-5	Infrared Remote Control for C2-1000, C2-2000, S2 Series and 1T-C2 Series Products	25.00
1T-IRR-100	IR Extender Module w/5 ft cable for 1T-DVI-700 Series & 1T-SX-524	30.00



2791 Circleport Drive
 Erlanger, KY 41018
 Phone 859-282-7303













www.tvone.com
 sales@tvone.com
 Fax 859-282-8225

Item Number	TVONE TASK Test Signal Generators	MSRP
1T-TG-PCHD 	Analog RGB/YPbPr Test Pattern Generator 25 Test Patterns Output: Analog - PC up to SXGA and HDTV up to 1080i	299.00
1T-TG-DVI 	DVI RGB/YPbPr Video Test Pattern Generator 25 Test Patterns Output: DVI - PC up to SXGA and HDTV up to 1080i	299.00
1T-TG-620 	HDMI Test Pattern Generator 25 Test Patterns Output: HDMI - PC up to UXGA and HDTV up to 1080p, with embedded audio tone	299.00
Item Number	TVONE TASK Audio Accessories	MSRP
1T-AP-216 	Analog Stereo (R/L) to SPDIF Coaxial and Toslink Digital Audio Converter with Delay Supports 2-Channel Stereo. Switchable 150ms Audio Delay Input: Analog Stereo via 2-RCA, Coaxial Audio via RCA and SPDIF Optical via Toslink Output: SPDIF Coaxial Audio via RCA and SPDIF Optical Audio via Toslink	75.00
Item Number	TVONE TASK HDMI-DVI Transmission Series	MSRP
1T-CT-611 	Transmitter: HDMI ver1.3a over Cat.5e/6. All Digital Transmitter Max Distance: 480p=85M (250 ft), 720p/1080i=75M (220 ft), 1080p=50M (150 ft) Input: HDMI. Output: Cat.6 Out via 2xRJ45 Compatible Receiver: 1T-CT-612. DVI Compatible. HDCP Compliant	130.00
1T-CT-612 	Receiver: HDMI ver1.3a over Cat.5e/6 All Digital Receiver Max Distance: 480p=85M (250 ft), 720p/1080i=75M (220 ft), 1080p=50M (150 ft) Input: Cat.6 via 2xRJ45. Output: HDMI Compatible Transmitters: 1T-CT-611, 1T-CT-617. DVI Compatible. HDCP Compliant	130.00
1T-CT-613 	Repeater: HDMI ver1.3a over Cat.5e/6 All Digital Repeater Max Distance: 480p=85M (250 ft), 720p/1080i=75M (220 ft), 1080p=50M (150 ft) Input: Cat.6 via 2xRJ45. Output: Cat.6 via 2xRJ45 Compatible Units: 1T-CT-611, 1T-CT-617, 1T-CT-612. DVI Compatible. HDCP Compliant	130.00
1T-CT-621 	HDMI ver1.2 over Cat.5 Transmitter. Max Res 1080p. Digital/Analog Hybrid Transmitter Max Distance: Up to 250M (750 ft), depending upon Rx used Input: HDMI. Output: Cat.5 Out via 2xRJ45. Compatible Receivers: 1T-CT-624, 628. DVI Compatible	235.00
1T-CT-624 	HDMI ver1.2 over Cat.5 Receiver. Max Res 1080p. Digital/Analog Hybrid Receiver Max Distance: 150M (450 ft) Input: Cat.5 via 2xRJ45. Output: HDMI Compatible Transmitter: 1T-CT-621. DVI Compatible	295.00
1T-CT-628 	HDMI ver1.2 over Cat.5 Receiver. Max Res 1080p. Digital/Analog Hybrid Receiver Max Distance: 250M (750 ft) Input: Cat.5 via 2xRJ45. Output: HDMI Compatible Transmitter: 1T-CT-621. DVI Compatible	395.00
1T-CT-680 	HDMI ver1.3 over 5-Coax Transmitter-Receiver Set. Max Res 1920x1200, 1080p Active Connect Multimedia Transmission System Max Distance: 250M (750 ft) Tx Input: HDMI, Tx Output: 5-Coax via BNC. Rx Input: 5-Coax via BNC, Rx Output: HDMI	595.00
1T-CT-521  NEW	DVI + Audio over Cat.5 Transmitter. Max Res 1080p, 1920x1200 Max Distance: Up to 250M (750 ft) Input: DVI-D, Coaxial S/PDIF, Analog Stereo. Output: Cat.5 Out via 2xRJ45. Compatible Receivers: 1T-CT-528. Not HDCP Compliant	235.00
1T-CT-524  NEW	DVI + Audio over Cat.5 Receiver. Max Res 1080p, 1920x1200 Max Distance: 100M (300 ft) Input: Cat.5 Out via 2xRJ45. Output: DVI-D, Coaxial S/PDIF, Analog Stereo Compatible Transmitter: 1T-CT-521. Not HDCP Compliant	255.00
1T-CT-528  NEW	DVI + Audio over Cat.5 Receiver. Max Res 1080p, 1920x1200 Max Distance: 250M (750 ft) Input: Cat.5 Out via 2xRJ45. Output: DVI-D, Coaxial S/PDIF, Analog Stereo Compatible Transmitter: 1T-CT-521. Not HDCP Compliant	395.00



2791 Circleport Drive
 Erlanger, KY 41018
 Phone 859-282-7303

www.tvone.com
 sales@tvone.com
 Fax 859-282-8225

Item Number	TVONE TASK GB-YPbPr Analog Transmission Series	MSRP
1T-CT-441 	Transmitter: RGBHV. Up to 300M (1,000') depending on Receiver used Max Res: 1920x1200. Compatible Receivers:1T-CT-442, 444 Optional RM-370T Rackmount Kit	170.00
1T-CT-443 	Transmitter: RGBHV+Stereo/SPDIF. Up to 300M (1,000') depending on Receiver used Max Res: 1920x1200. Compatible Receivers:1T-CT-442, 444, 452, 456 Optional RM-370T Rackmount Kit	200.00
1T-CT-445  NEW	Transmitter: RGBHV+RS-232. Up to 300M (1,000') depending on Receiver Max Res: 1920x1200. Compatible Receivers:1T-CT-454, 458 Optional RM-370T Rackmount Kit	200.00
1T-CT-453 	Transmitter: YPbPr+Stereo/SPDIF. Up to 300 Meters (1,000') depending on Rx used Max Res: 1920x1200. Compatible Receivers:1T-CT-464 Optional RM-370T Rackmount Kit	200.00
1T-CT-467 	Transmitter: RGBHV+Stereo over Cat.5 w/ 8 outputs. Up to 300M (1,000') depending on Rx Max Res: 1920x1200. Compatible Receivers: 1T-CT-442, 444, 452, 456 Optional RM-360S Rackmount Kit	495.00
1T-CT-442 	Receiver: RGBHV. Up to 150M (500') Max Res: 1920x1200. Compatible Transmitters:1T-CT-441, 443, C2-1200/1250 Built in Gain and Equalization Optional RM-370TRackmount Kit	200.00
1T-CT-444 	Receiver: RGBHV. Up to 300M (1,000') Max Res: 1920x1200. Compatible Transmitters:1T-CT-441, 443, C2-1200/1250 Built in Gain, Equalization and Skew Correction Optional RM-370T Rackmount Kit	280.00
1T-CT-452 	Receiver: RGBHV+Stereo/SPDIF. Up to 150M (500') Max Res: 1920x1200. Compatible Transmitters:1T-CT-443 Built in Gain and Equalization Optional RM-370T Rackmount Kit	245.00
1T-CT-454  NEW	Receiver: RGBHV+RS-232. Up to 150M (500') Max Res: 1920x1200. Compatible Transmitters:1T-CT-445 Built in Gain and Equalization Optional RM-370T Rackmount Kit	245.00
1T-CT-456 	Receiver: RGBHV+Stereo/SPDIF. Up to 300M (1,000'). Built in Cat.5 Repeater Max Res: 1920x1200. Compatible Transmitters:1T-CT-443 Built in Gain, Equalization, Skew Correction and Cat.5 Repeater Optional RM-370T Rackmount Kit	360.00
1T-CT-458  NEW	Receiver: RGBHV+RS-232. Up to 300M (1,000') Max Res: 1920x1200. Compatible Transmitters:1T-CT-445 Built in Gain, Equalization, Skew Correction Optional RM-370T Rackmount Kit	325.00
1T-CT-464 	Receiver: YPbPr+Stereo/SPDIF. Up to 300M (1,000') Max Res: 1920x1200. Compatible Transmitters:1T-CT-453, C2-1200/1250 Built in Gain and Equalization Optional RM-370T Rackmount Kit	245.00
Item Number	Rackmount Accessories	MSRP
RM-360S	Single Rackmount Kit for 1T-CT-467	60.00
RM-370T	Triple Rackmount Kit for all 1T-CT-400 Series models, except 1T-CT-467 Units	60.00



TV One USA

2791 Circleport Drive
Erlanger, KY 41018
USA
Tel 859-282-7303
Fax 859-282-8225
sales@tvone.com
www.tvone.com

TV One Europe

Continental Approach
Westwood Industrial Estate
Margate, Kent CT9 4JG, UK
Tel +44 (0)1843 873311
Fax +44 (0)1843 873312
sales.europe@tvone.com
www.tvone.eu

TV One Latin America

6991 NW 82 Avenue #8
Miami, FL 33166
USA
Tel 305-396-6275
Fax 305-418-9306
sales.latinoamerica@tvone.com
www.tvonela.com

TV One Mercosur

Honduras 5849, 2nd Floor, Office C
(C1414BNI) Capital Federal
Buenos Aires, Argentina
Tel +54 11 4771-5570
Fax +54 11 4771-5570
sales.latinoamerica@tvone.com
www.tvonela.com

TV One Asia

11F, NO.28, Sec. 2
San-Min Rd, Panchiao City
Taipei Hsien 220
Taiwan R.O.C.
Tel +886 2 8951-0674
Fax +886 2 8951-0675
sales.asia@tvone.com
www.tvoneasia.com

TV One China

Room 1007, Golden Peach Building
No. 1900 Shangcheng Road
Pudong, Shanghai
China 200120
Tel +86 21 5830-2960
Fax +86 21 5851-7949
sales.china@tvone.com
www.tvonechina.com